

FIG. 2

Executable code in ROM (see below) + DLMS (SIS ...) + Buffer

MKOS, ATM Driver, MO Driver, SMIR




FIG. 3

Executable code in ROM (see below) + DLMS (SIS ...) + Buffer

MKOS, ATM Driver, MO Driver, SMIR




FIG. 4

5/18




FIG. 5

timing zone		buffer															1	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		
b1	value	1	2	3	4	5	6	7	8									
	vc//	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3		
b2	value	1	1	1	1	2	2	2	2	3	3	3	3	1	1	1		
	vc#	9	10	11	12	9	10	11	12	9	10	11	12	9	10	11		
b3	value	2	2	2	2	3	3	3	3	1	1	1	1	2	2	2		
	vc//	5	6	7	8	5	6	7	8	5	6	7	8	5	6	7		
	value	3	3	3	3	1	1	1	1	2	2	2	2	3	3	3		
	vc//	3	3	3	3	1	1	1	1	2	2	2	2	3	3	3		

FIG.7





FIG.6

7/18




FIG. 8

Video	SIP Addr
Top Gun	012345
Rambo1	678901
Rambo2	234567
Rambo3	890123
.	.
Snowman	987654




FIG. 9




FIG.10

SMUId	owner
SMU-1	SIG-1
SMU-2	none

vcf	SIBr
7	1
2	2
:	:

TP	SMU-SIBr	vcf
0.00	2-1	25
0.10	2-2	21
:	:	:
23.50	14-4	76
VCR	4-1	28

SI-Id	SIPr
Nambo1	1
Nambo2	2

10/18




FIG. 11

11/18




FIG.12

12/18






FIG. 13

13/18



14/18







FIG. 15



FIG. 16

17/18

FIG.17




FIG.18